

# ASTHMA ACTION PLAN


Name: \_\_\_\_\_ Date: \_\_\_\_\_

## ASTHMA IS UNDER CONTROL

### Green Level—Good Control

### WHAT SHOULD I DO?

- Normal breathing
- No cough or wheeze
- Normal activity
- Normal sleep
- No need for Reliever medicine



#### CONTROLLER

MEDICINE	PUFFS/DOSE	TIMES/DAY

#### RELIEVER

		As needed
--	--	-----------


Keep Up The Good Work!

- **Reliever** medicine can be used for asthma symptoms (cough, wheeze, difficulty breathing).

## TIME TO TAKE ACTION!

### Yellow Level—Caution

- Cold symptoms
- Symptoms at night
- Symptoms with activity, laughing or crying
- Reliever medicine used more than 3 times a week for symptoms



#### CONTROLLER

MEDICINE	PUFFS/DOSE	TIMES/DAY

#### RELIEVER

		As needed
--	--	-----------

- Start or increase **Controller** medicine
- When better, return to Green Level


- If **Reliever** medicine is needed every 4 hours, call your doctor.
- **See your doctor** if asthma symptoms are not improving after two days.

## GET HELP!

### RED LEVEL—DANGER

### GO TO THE CLOSEST EMERGENCY IMMEDIATELY!

- Reliever medicine needed in less than 3 hours
- Reliever medicine does not begin to improve asthma symptoms in 10 minutes



- **Use Reliever** medicine as much as needed on the way to the Emergency!

Comments: \_\_\_\_\_

Doctor: \_\_\_\_\_ Phone Number: \_\_\_\_\_

Visit [www.caaec.ca](http://www.caaec.ca)